



TRIUMPH CONTAINERS



TRIUMPH

HYBRID PLASTIC CONTAINER WITH STEEL REINFORCEMENTS FOR MAXIMUM STRENGTH AND DURABILITY

- Weighs significantly less than same-size metal containers, improving worker safety
- Steel reinforcements strategically placed to support container, ensuring performance during heavy lifting
- Low maintenance – never needs painting, is easy to clean, and is dent resistant
- Comprehensive steel protection with electrophoretic coating (electro-coating) to maximize container life in corrosive environments
- Angled front fork pockets improve collection efficiency and reduce damage to container during emptying
- 100% recyclable

Industry standard lids on all containers

UV resistant for long term exposure to sunlight

1, 2, 3, & 4 yards come with casters for easy maneuverability


Consistent wall thickness throughout improves performance

Polyethylene construction and sealed fasteners prevent leaking and maximize container life


Corrugation at sides and bottom add strength




FEATURES



Coated Steel Pocket Guides are standard on all Triumph front load containers for added protection during fork entry. Pocket inside dimensions are maximum height. Pockets installed at a high point for easy fork entry.



Triumph Lifting Sleeves are captured by a molded-in ledge to bear the weight during lifting. On 6- and 8-yard containers, a two-inch structural tube supporting the bottom is attached to the lift pockets by side support brackets to manage heavier loads.



The **1 1/2" Solid Steel Trunnion Bar** on the Triumph Rear Load is supported with gussets to prevent damage when lifting heavy loads.



Standard Oversized Washer reinforced with separate rubber washer prevents leakage at container base.



Oversized and Sealed Container Rim provides superior stiffness without trapping waste.



Quick Change Caster Plates improve replacement efficiency. Steel support channels distribute heavy loads evenly across the container floor.

CUSTOMIZE YOUR CONTAINER

- Manual and Gravity lock options available on front load containers
- For additional customizations, contact your Area Manager




WHEEL FEATURES

- Reinforced caster mounting for increased strength and durability
- Quick release caster plate allows for fast caster replacement from outside the container.
- 4" caster plates prevent puncturing in container bottom and have single-bolt release
- Standard 6" casters on 1, 2, 3, & 4 yard containers
- Roll brakes available




AVAILABLE COLORS


The Triumph container is available in 6 standard colors. Standard frame color is black; standard lids are black and complement all container colors. Colors as shown in this document may differ slightly from the actual product.



56 - Green




65 - Forest Green




68 - Dark Blue



63 - Brown



50 - Dark Gray



60 - Black

TRIUMPH



8 Yard FL
Slant Top



6 Yard FL
Slant Top



4 Yard FL



3 Yard FL



2 Yard FL



1 Yard FL

CONTAINER SPECIFICATIONS

MODEL	WIDTH	LOAD HEIGHT	MAX HEIGHT	DEPTH	LOAD RATING
8 YARD FL ST	81"	50"	82"	86"	5000 LBS.
6 YARD FL ST	81"	50"	68"	81 $\frac{1}{8}$ "	3500 LBS.
4 YARD FL	81"	55 $\frac{3}{4}$ "	71 $\frac{1}{2}$ "	58 $\frac{1}{2}$ "	2500 LBS.
3 YARD FL	81"	53 $\frac{1}{4}$ "	62"	55"	1500 LBS.
2 YARD RL	78"	48 $\frac{3}{4}$ "	50"	49 $\frac{3}{4}$ "	1400 LBS.
1 YARD FL	81"	40 $\frac{3}{4}$ "	42 $\frac{1}{8}$ "	32"	700 LBS.

Container specifications vary slightly based on product mold. Height includes casters. Width includes lift pockets. Measurements reflect maximum dimensions.

SHIPPING INFORMATION

MODEL	ASSEMBLY WEIGHT	STACK HEIGHT	T/L QTY (53' TRUCK)	LTL STACKING & LTL MAX QTY	LID DIMENSIONS (W X L)
8 YARD FL ST	552 LBS.	2 HIGH	7	1	36 x 58
6 YARD FL ST	530 LBS.	2 HIGH	14	1	36 x 58
4 YARD FL	403 LBS.	2 HIGH	20	2	36 x 58
3 YARD FL	373 LBS.	3 HIGH	33	4	36 x 54
2 YARD RL	300 LBS.	5 HIGH	85	6	31 x 49
1 YARD FL	217 LBS.	5 HIGH	115	9	36 x 32

Shipping information is estimated and varies slightly based on product mold and product location.

For maximum shipping capacity, some assembly is required: 8YD and 6YD containers ship with lids, lid rod, lid, rail and back cap inside of containers. 1YD, 2YD, 3YD and 4YD containers ship with lids inside of container.

